


Glassware Equipments

(Condenser)



Catalog (2026-2027)

*Quality Glassware
Global Standards*

PRECISION DURABILITY TRUSTED PERFORMANCE

Welcome to our Complete [Glassware Product Catalog](#) your trusted source for high-quality laboratory, scientific, and industrial glassware. We specialize in manufacturing and supplying precision-engineered borosilicate glass products designed to meet the demanding requirements of laboratories, educational institutions, research centers, pharmaceutical companies, and industrial facilities.

Our commitment is simple: deliver reliable, chemically resistant, heat-stable, and dimensionally accurate glassware that performs consistently under rigorous laboratory conditions.

ABOUT OUR GLASSWARE

Our products are manufactured using premium borosilicate glass (3.3 grade), known for:

- High thermal shock resistance
- Excellent chemical durability
- Low coefficient of expansion
- Superior clarity and transparency
- Long operational life


Each product is carefully inspected for dimensional accuracy, strength, and finish before dispatch.

WHO WE ARE?

Founded with a vision to elevate laboratory standards globally, [Your Company Name] has grown into a respected manufacturer and supplier of borosilicate glassware.

From our origins as a small glass fabrication operation, we have expanded into a full-scale manufacturing facility equipped with advanced production technologies, rigorous quality control systems, and a dedicated team of technical experts.

Today, we serve laboratories, institutions, and industries across continents – delivering solutions that support research integrity, industrial precision, and medical accuracy.





Our Mission

To support scientific discovery and industrial innovation by providing premium laboratory glassware that delivers unmatched precision, durability, and performance.



Our Vision

To be recognized as a global leader in laboratory glassware manufacturing not only for the quality of our products but also for our commitment to customer success, innovation, and sustainability.



Superior Quality



High Precision



Multi-Purpose



INDEX

Adapter

Beakers

Bottles

Burettes

Automatic Burette

Columns

Condensers

Crucibles

Measuring Cylinders

Desiccators

Dishes

Petri Dishes

Disposable Glassware

Disposable Culture Tubes

Pasteur Pipette

Distillation

Extraction Apparatus

Lab Filtration Assembly

Flasks (General)

Erlenmeyer Conical Flask

Dissolution Vessel

Volumetric Flask

Laboratory Glass & Plastic Funnels

Joints

Graduated Pipettes

Stopcocks

Stoppers

Tubes

Test Tubes

Tube Centrifuge

Utility Sets

Lab Vials





Condenser, Air

- Manufactured from ASTM E-438, Type-1, Class, A Boro 3.3 Glass
- With Ground Socket and Cone Joint
- Used for Condensation of Materials With Boiling Point Above 150°C

Item Code	Effective Length(mm)	Cone Size	Socket Size
CA-01	200	14/23	14/23
CA-02	200	19/26	19/26
CA-03	250	24/29	24/29
CA-04	400	19/26	19/26
CA-05	500	24/29	24/29
CA-06	500	34/35	34/35
CA-07	600	19/26	19/26
CA-08	750	24/29	24/29
CA-09	750	19/26	-
CA-10	750	24/29	-
CA-11	1000	19/26	-
CA-12	1000	24/29	-




Condenser



Condenser, Leibig with drip tip

- Complies with DIN 12576 standard
- Made From Heat Resistant, Low Expansion 3.3 Borosilicate Glass
- With ground socket and cone joint
- With straight inner tube, outer joints and glass connector
- Resistant to chemicals and high temperatures

Item Code	Effective Length(mm)	Cone Size	Socket Size	Connector
CLD-01	160	14/23	14/23	Glass
CLD-02	160	19/26	19/26	Glass
CLD-03	200	19/26	19/26	Glass
CLD-04	250	19/26	19/26	Glass
CLD-05	250	24/29	24/29	Glass
CLD-06	250	29/32	29/32	Glass
CLD-07	300	19/26	19/26	Glass
CLD-08	300	24/29	24/29	Glass
CLD-09	300	29/32	29/32	Glass
CLD-10	400	24/29	24/29	Glass
CLD-11	400	29/32	29/32	Glass



Condenser, Leibig with drip tip

- Complies with DIN 12576 standard
- Made From Heat Resistant, Low Expansion 3.3 Borosilicate Glass
- With ground socket and cone joint
- With straight inner tube, outer joints and screw thread connector
- Resistant to chemicals and high temperatures

Item Code	Effective Length(mm)	Cone Size	Socket Size	Connector
CLD-01	160	14/23	14/23	Screw Thread
CLD-02	160	19/26	19/26	Screw Thread
CLD-03	200	19/26	19/26	Screw Thread
CLD-04	250	19/26	19/26	Screw Thread
CLD-05	250	24/29	24/29	Screw Thread
CLD-06	250	29/32	29/32	Screw Thread
CLD-07	300	19/26	19/26	Screw Thread
CLD-08	300	24/29	24/29	Screw Thread
CLD-09	300	29/32	29/32	Screw Thread
CLD-10	400	24/29	24/29	Screw Thread
CLD-11	400	29/32	29/32	Screw Thread

Condenser Coil

- Complies with ASTM E-438, Type-1, Class A, Boro 3.3 Glass
- With glass connector • E-438 -----.
- Highly efficient with large cooling surfaces
- Suitable for Distillation & Reflux applications


Item Code	Effective Length(mm)	Cone Size	Socket Size	Connector
CC-01	160	14/23	14/23	Glass
CC-02	160	19/26	19/26	Glass
CC-03	250	14/23	14/23	Glass
CC-04	250	19/26	19/26	Glass
CC-05	250	24/29	24/29	Glass
CC-06	250	29/32	29/32	Glass
CC-07	300	24/29	24/29	Glass
CC-08	300	29/32	29/32	Glass
CC-09	400	24/29	24/29	Glass
CC-10	400	29/32	29/32	Glass
CC-11	500	29/32	29/32	Glass




Condenser Coil

- Complies with ASTM E-438, Type-1, Class A, Boro 3.3 Glass
- With plastic screw thread connector
- Highly efficient with large cooling surfaces
- Suitable for Distillation & Reflux applications

Item Code	Effective Length(mm)	Cone Size	Socket Size	Connector
CC-001	160	14/23	14/23	Screw Thread
CC-002	160	19/26	19/26	Screw Thread
CC-003	250	14/23	14/23	Screw Thread
CC-004	250	19/26	19/26	Screw Thread
CC-005	250	24/29	24/29	Screw Thread
CC-006	250	29/32	29/32	Screw Thread
CC-007	300	24/29	24/29	Screw Thread
CC-008	300	29/32	29/32	Screw Thread
CC-009	400	29/32	29/32	Screw Thread




Condenser



Condenser Allihin

- Complies with DIN 12581 standard
- Complies with ASTM E-438, Type-1, Class A, Boro 3.3 Glass
- With glass connector
- Inner bulb section provides increased cooling surface
- Suitable for reflux applications

Item Code	Effective Length(mm)	Cone Size	Socket Size	Connector
CA-001	160	14/23	14/23	Glass
CA-002	160	19/26	19/26	Glass
CA-003	200	19/26	19/26	Glass
CA-004	250	14/23	14/23	Glass
CA-005	250	19/26	19/26	Glass
CA-006	250	24/29	24/29	Glass
CA-007	250	29/32	29/32	Glass
CA-008	300	24/29	24/29	Glass
CA-009	300	29/32	29/32	Glass
CA-010	400	24/29	24/29	Glass
CA-011	400	29/32	29/32	Glass
CA-012	600	29/32	29/32	Glass



Condenser Allihin

- Complies with DIN 12581 standard
- Complies with ASTM E-438, Type-1, Class A, Boro 3.3 Glass
- With plastic screw thread connector
- Inner bulb section provides increased cooling surface
- Suitable for reflux applications

Item Code	Effective Length(mm)	Cone Size	Socket Size	Connector
CAA-01	160	14/23	14/23	Screw Thread
CAA-02	160	19/26	19/26	Screw Thread
CAA-03	250	14/23	14/23	Screw Thread
CAA-04	250	19/26	19/26	Screw Thread
CAA-05	250	24/29	24/29	Screw Thread
CAA-06	250	29/32	29/32	Screw Thread
CAA-07	300	24/29	24/29	Screw Thread
CAA-08	300	29/32	29/32	Screw Thread
CAA-09	400	24/29	24/29	Screw Thread
CAA-10	400	29/32	29/32	Screw Thread

Condenser, Dimroth

- Complies with DIN 12591
- Made from ASTM E-438, Type-1, Class-A, Boro 3.3 Glass
- With glass Connector

Item Code	Effective Length(mm)	Cone Size	Socket Size	Connector
CD-01	160	14/23	14/23	Glass
CD-02	160	19/26	19/26	Glass
CD-03	250	19/26	19/26	Glass
CD-04	250	24/29	24/29	Glass
CD-05	250	29/32	29/32	Glass
CD-06	300	24/29	24/29	Glass
CD-07	300	29/32	29/32	Glass
CD-08	400	29/32	29/32	Glass



Condenser, Dimroth

- Complies with DIN 12591
- Made from ASTM E-438, Type-1, Class-A, Boro 3.3 Glass
- With plastic screw thread connector


Item Code	Effective Length(mm)	Cone Size	Socket Size	Connector
CD-001	160	14/23	14/23	Screw Thread
CD-002	160	19/26	19/26	Screw Thread
CD-003	250	14/23	14/23	Screw Thread
CD-004	250	19/26	19/26	Screw Thread
CD-005	250	24/29	24/29	Screw Thread
CD-006	250	29/32	29/32	Screw Thread
CD-007	300	24/29	24/29	Screw Thread
CD-008	300	29/32	29/32	Screw Thread
CD-009	400	29/32	29/32	Screw Thread




Condenser, Liebig

- Made from ASTM E-438, Type-1, Class-A Boro 3.3 Glass
- Available with sealed inner tube
- With glass connector
- Resistant to chemicals and high temperatures
- High efficiency with large cooling surfaces

Item Code	Approx Jacket Length(mm)	Approx Jacket Length(mm)	Connector
CL-01	200	345	Glass
CL-02	300	445	Glass
CL-03	400	545	Glass
CL-04	500	645	Glass



Condenser



Condenser, Double Surface

- Made From Heat Resistant, Low Expansion 3.3 Borosilicate Glass

Item Code	Effective Length(mm)	Cone Size	Socket Size	Connector
CDS-01	200	19/26	19/26	Glass
CDS-02	200	24/29	24/29	Glass
CDS-03	300	19/26	19/26	Glass
CDS-04	300	24/29	24/29	Glass

ASTM Size

Item Code	Effective Length(mm)	Cone Size	Socket Size	Connector
CDS-001	110	14/20	14/20	Glass
CDS-002	110	19/22	19/22	Glass
CDS-003	200	24/40	24/40	Glass
CDS-004	200	19/22	19/22	Glass



Condenser, Friedrichs

- With Drip Tip
- With ground socket and cone joint
- Made From Heat Resistant, Low Expansion 3.3 Borosilicate Glass

Item Code	Overall Height(mm)	Cone Size	Socket Size	Connector
CF-01	350	24/29	24/29	Glass

Condenser, Friedrichs

Item Code	Overall Height(mm)	Cone Size	Socket Size	Connector
CF-001	330	24/40	24/40	Glass

OUR PRESENCE ON MAP





Glassware
Technology



Go to Website

GLASSWARE LABORATORY EQUIPMENTS

Office Address: Akshya Nagar 1st Block 1st Cross, Rammurthy nagar, Bangalore-560016

+91 98378-27736 | 87482-73827

www.glassware.com

info@glassware.com